	Application No.	Applicant(s)	
Notice of Allowability	10/681,202	PEREIRA, FRED	9
	Examiner	Art Unit	
	Alexander Grosz	3673	
The MAILING DATE of this communication app. All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in to) or other appropriate commural (IGHTS. This application is su and MPEP 1308.	this application. If not included nication will be mailed in due co	urse. THIS
1. This communication is responsive to The Filips	or 12/9/02.		•
2. The allowed claim(s) is/are 1-(8).		,	
3. The drawings filed on <u>I of 9/1/2</u> are accepted by the Examine	er.		
 4. ☐ Acknowledgment is made of a claim for foreign priority u a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Application	No	n from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the requi	rements
5. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give			TICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") mu (a) including changes required by the Notice of Draftsper 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner Paper No./Mail Date 19276 Identifying indicia such as the application number (see 37 CFR reach sheet. Replacement sheet(s) should be labeled as such in the state of the sheet. Replacement sheet(s) should be labeled as such in the sheet of the sheet.	son's Patent Drawing Review - 's Amendment / Comment or i 1.84(c)) should be written on the the header according to 37 CFR	n the Office action of edrawings in the front (not the ba	
attached Examiner's comment regarding REQUIREMENT			ie ine
Attachment(s) 1. ★ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ★ Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 100 000 0000 0000 0000 0000 0000 0000	6. Interview Sur Paper No./M 08), 7. IX Examiner's A	ormal Patent Application (PTO- mmary (PTO-413), Mail Date <u>/ 엑2국(</u> 야그 mendment/Comment Statement of Reasons for Allowa	·
		Alexander Grosz Primary Examiner Art Unit: 3673	

Application/Control Number: 10/681,202

Art Unit: 3673

EXAMINER'S AMENDED

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. McGlynn on 10/27/04.

On page 1, line 7, change "sooth an infant" to:

-soothe an infant by rhythmically contacting the bottom of the crib-.

On page 2, line 9, and the "abstract", line 3, change "sooth" to -soothe-.

On page 4, line 22, change "left" to:

-right-.

On page 5, lines 2-4, delete: "the weight of the ----- Fig. 1 device."

On page 5, line 19, change "plate" to:

-arm-On page 6, lines 1, 2 change "the movement means 16,17" to; -placement between piston 17 and arm 18,-.

On page 6, line 17, change "plate" to:

-arm-.

In a <u>timely manner</u>, in figure 5, number 16, and number 36, above numeral 16, will be deleted.

In claim 1, delete lines 1, 2 and substitute the following:

Art Unit: 3673

-1. A device adapted to be removably positioned beneath, and spaced from the underside of a crib, the device adapted to transmit a vibration and produce a sound by rhythmically patting or contacting the underside of the crib, to thereby soothe a user of the crib, comprising:

```
means for rhythmically engaging and disengaging the underside of the crib-
 In claim 1, lines 3, 4 and lines 7, 8 change "a mattress" to:
 -the crib-.
 In claim 2, lines 3, 4 and lines 5, 6 change "a mattress" to:
 -the crib-.
 In claim 3, line 2, change "a mattress" to:
 -the crib-.
 In claim 4, line 1, change "4" to -1-.
 In claim 5, line 2, change "a mattress" to:
 -the crib-.
 In claim 8, line 2, change "a mattress" to:
 -the crib-.
In claim 10, line 2, change "a mattress" to:
 -the crib-.
 In claim 14, line 2, change "an underside of a mattress" to:
 -the underside of the crib-
```

The following is an examiner's statement of reasons for allowance: On 10/27/04, Mr. McGlynn and I discussed the invention, the claims and the prior art, especially

Art Unit: 3673

Pereira teaching the use of a crib "patting" device, and Wilson et al (Figure 2) and Crawford (Fig. 2) both of which teach crib bouncing or shaking devices which are attached to cribs.

There is no teaching or suggestion in the prior art to combine the teachings of Pereira with teachings from Crawford or Wilson et al, as Pereira is a "patting" device in which cups 22 are not connected to the crib bottom, while Crawford's and Wilson et al's devices are <u>attached</u> to the crib (note plate 70 in Crawford and elements 23, 24, 25, 26 in Wilson et al) to produce a, bouncing or shaking not a "patting", as claimed.

Claim 1 has been broadened by changing "mattress" to "crib underside" since the "patting" contact is provided to the crib underside, not necessarily to a mattress.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication should be directed to Alexander Grosz at telephone number (703) 308-2498.

Grosz/vs November 5, 2004 ALEXANDER GROSZ PRIMARY EXAMINER